# New Jersey Division of AIDS Prevention and Control Persons Living with HIV/AIDS as of December 31, 2002 Atlantic County Residents

1.	Current HIV/AIDS Category	00000	%		Pediat Cases	%			Tota ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only	450 3	# 3 #		# 0 #	 # 0 #			200 450 709	15 33 52
	Total	1353 10			6	100			1359	100
2.	Current Age * Cases %	3. Race/Eth			Adult/ Cases		Pedia Cases	%	Tota Cases	al % 
	<pre>&lt;5     0     0 5-12     6     0 13-19     5     0 20-29     64     5 30-39     419     31 40-49     583     43 50+     282     21 Unk.     0     0</pre>	White, N Black, N Hispanic Other/Un  Total	ot Hisp ot Hisp known	anic	# 772 229	# 57 17 #	# 5 0 #	# 83 0 #	336 777 229	25 57 17 1
	Total 1359 100									
4.	Patient Group		Ac Males 	lult/Ad % 	dolescen	female	s %		odes ** Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***		299 384 47 78 165	31 39 5 8 17		0 189 0 103 86	0 50 0 27 23		29 57 4 18 25	99 22 73 42 17 3 81 13 61 19
	Total		973	100		378			135	
			Males	Pec %	diatric	Transm Female		n Mod	es Tota	al %
	Parent at risk/has AIDS/HIV Risk not reported/other***		# 0	# 0		# 0	#			8 100 0 0
	Total		#	#		#				8 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- $^{\star}$  Classification based on current age at the end of December 2002.
- \*\* 2 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Atlantic County Residents

				Adult/Adol	escent*		Ped	liatric*			То	tal
1. D	isease Ca	itegory	Ca	ses (%)	Deaths (%)	Cases	ક (%)	Death	ns (%)	Cases (	왕)	Deaths (%)
O K	PCP Other OI w IS Alone No Disease			452 ( 30)	259 ( 77) 338 ( 75) 14 ( 74) 242 ( 35)		5 ( 36)	<u>.</u>	5 ( 67) 5 (100) 0 ( .)	19 (	30)	343 ( 75) 14 ( 74)
- Т	 otal			1500 (100)	853 ( 57)	14	1 (100)	11	. ( 79)	1514 (1	.00)	864 ( 57)
2. A	.ge *	Cases	%	3. Race,	Eth.	Adult/A		Pediatr Cases		Total Cases	%	
5 1 2 3		229 666	0 0 15 44	Black Hispa Other	e, Not Hispanic c, Not Hispanic anic c/Unknown		55 13 1	# 8 # 0 		475 835 194 10 	31 55 13 1 	
O U -	Over 49 Unknown Over	154 0  1514	10	1004.		1300	100			1311	100	

Males			Adult/Adolescent Transmission Modes **										
	%	Females	%	Total	%								
418	35	0	0	418	28								
496	42	192	60	688	46								
78	7	0	0	78	5								
50	4	71	22	121	8								
138	12	57	18	195	13								
1180	100	320	100	1500	100								
	Pedia	tric Transmi:	ssion Mod	des									
	496 78 50 138	496 42 78 7 50 4 138 12  1180 100	496     42     192       78     7     0       50     4     71       138     12     57        1180     100     320	496     42     192     60       78     7     0     0       50     4     71     22       138     12     57     18            1180     100     320     100	496     42     192     60     688       78     7     0     0     78       50     4     71     22     121       138     12     57     18     195								

	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV Risk not reported/other***	7 #	 88 #	6 0	100	13	93 7
Total	8	100	6	100	14	100

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

<sup>\*</sup> Classification at time of AIDS diagnosis.

<sup>\*\* 0</sup> patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

<sup>\*\*\*</sup> Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

#### New Jersey Division of AIDS Prevention and Control AIDS Cases Reported as of December 31, 2002 Atlantic County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	10	10	100%
1985	10	9	90%
1986	15	15	100%
1987	23	21	91%
1988	52	47	90%
1989	98	84	86%
1990	103	82	80%
1991	101	87	86%
1992	147	115	78%
1993	156	111	71%
1994	132	66	50%
1995	139	61	44%
1996	104	37	36%
1997	96	28	29%
1998	69	24	35%
1999	83	31	37%
2000	70	20	29%
2001	69	#	#
2002	37	#	#
Total	1514	864	57%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

## New Jersey Division of AIDS Prevention and Control HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2002 Atlantic County Residents

				Adult/A	\dl*	Pediat	ric*	Total	
1. Age *	Cases	%	2. Race/Ethnicity	Cases	%	Cases	%	Cases	%
Under 5	5	1	White, Not Hispanic	193	24	0	0	193	24
5-12	0	0	Black, Not Hispanic	#	#	#	#	452	57
13-19	14	2	Hispanic	#	#	#	#	139	17
20-29	202	25	Other/Unknown	14	2	0	0	14	2
30-39	341	43							
40-49	200	25	Total	793	100	5	100	798	100
Over 49	36	5							
Unknown	0	0							
Total	798	100							

. Patient Group	Ac	ult/Adol	escent Transmission	Modes **	
-	Males	8	Females %	Total	용
Men sex with men (MSM)	 156	29	0 0	 156	20
Injection drug user (IDU)	219	41	125 49	344	43
MSM/IDU	27	5	0 0	27	3
Heterosexual contact	49	9	73 29	122	15
Risk not reported/other***	87	16	57 22	144	18
Total	538	100	255 100	793	100
		Pedia	tric Transmission M	odes	
	Males	%	Females %	Total	%
Parent at risk/has AIDS/HIV	#	#	# #	 5	100
Risk not reported/other***	0	0	0 0	0	0
Total	#	#	# #	 5	100

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- \*\* 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: Includes only those persons known to be infected with HIV.

These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

## New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Atlantic County Residents

1.	Current HI			Adult/Adol Cases	escent *	Peo Case		ic * % 	Tot Cases	al % 	
	AIDS-Any O AIDS-CD4 O HIV Only	I nly		808 692 793	35 30 35		14 0 5	74 0 26	822 692 798	36 30 35	
	Total			2293	100		19	100	2312	100	
2.	Age *	Cases		Race/Eth.		Adult/ Cases	8	Pediat Cases	ric* %	To Cases	otal %
	Under 5 5-12 13-19 20-29	17 # 25 497	1 # 1 21	White, Not Black, Not Hispanic Other/Unkr	Hispanio Hispanio	: #	# 56 # 1	# 12 # 0	# 63 # 0	668 1287 333 24	29 56 14 1
	30-39 40-49 Over 49 Unknown	1022 585 161 # 	25 7 # 	Total		2293		19	100	2312	100
4.	Patient Gr	oup			Ad Males	%	F	Transmissi emales %	on Modes ** Tot 	al %	
	Men sex wi Injection MSM/IDU Heterosexu Risk not r	drug user al contac eported/c	(IDU)		574 715 105 99 225	33 42 6 6 13		0 0 317 55 0 0 144 25 114 20	5 10 1 2 3	74 25 32 45 05 5 43 11 39 15	
	Total				1718	100	-	575 100		93 100	
					Males	%	F	ransmission emales %	Tot		
	Parent at Risk not r	risk/has eported/c	AIDS/HIV ther***		11 #	92 #		7 100 0 0		18 95 # #	
	Total				12	100	-	7 100		 19 100	

NOTE: Includes only those persons known to be infected with HIV.

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- \* Classification at time of first HIV+/AIDS diagnosis.

- \*\* 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- \*\*\* Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

# New Jersey Division of AIDS Prevention and Control HIV/AIDS Cases Reported as of December 31, 2002 Atlantic County Residents

5.  ${\tt HIV/AIDS}$  Cases by Year of First  ${\tt HIV/AIDS}$  Diagnosis.

Year of First HIV/AIDS Diagnos	is Cases	Number Known Dead	Case-Fatality Rate
Before 1985	17	14	82%
1985	20	14	70%
1986	34	24	71%
1987	53	39	74%
1988	93	70	75%
1989	135	105	78%
1990	176	122	69%
1991	170	118	69%
1992	292	112	38%
1993	219	77	35%
1994	223	71	32%
1995	168	57	34%
1996	130	30	23%
1997	143	27	19%
1998	98	24	24%
1999	96	20	21%
2000	97	14	14%
2001	106	13	12%
2002	39	#	#
Unknown	#	#	#
Total	2312	953	41%

<sup>#</sup> Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.